

CLEANING & MAINTENANCE MANUAL

IMPORTANT!

- Only follow the instructions mentioned here, and not any others which may be supplied to you.
- Before using the floor, remove any protective coating which remains from the manufacturing process, with a post-installation cleaning. This protective coating is only for the sake of preventing damage during transport and retail.
- All the recommended products are manufactured by Diversey, our cleaning and maintenance products partner. You can find a full global list of their local resellers at the following link, so that you know how to access these products within your market: *http://www.pavigym.com/maintenance.php*
- Should you have any questions about these cleaning products and their applications, please contact our **Customer Service department:** *customer.service@pavigym.com*

WWW.PAVIGYM.COM

OBLIGATORY POST-INSTALLATION CLEANING.

Immediately after installation and before first use of the flooring.

Product 1st step: Jontec Best.

- **1.** Mix a bucket of water with Jontec Best. The proportion should be 200ml Jontec Best for every 1L of water.
- **2.** Apply the solution on the floor using a broom with medium strength bristles or a scrubber drier (see recommended material below).
- 3. Allow the solution to act for 20 min without allowing it to dry.
- **4. IMPORTANT:** Rinse well with clean water and a microfiber mop or a scrubber drier as many times as necessary to ensure the elimination of the protective coating layer. If this is not done, the surface may be slippy.
- 5. Leave to dry completely.



Product 2nd Step: Jontec Tensol

- 1. Mix a bucket of water with Jontec Tensol. The proportion should be 100ml Jontec Tensol for every 1L of water.
- 2. Apply the solution on the floor using a clean mop or a scrubber drier.
- 3. Leave to dry completely.



MAINTENANCE CLEANING.

For daily use.

Product 1st step: Jontec Tensol.

 Mix a bucket of water with Jontec Tensol. The proportion should be 25ml Jontec Tensol for every 1L of water.



- **2.** Scrub the surface with the solution using a mop or use a scrubber drier (see recommended material below).
- 3. Leave to dry completely.

DEEP CLEANING.

For intensive cleaning (should be performed between a minimum of twice and a maximum of ten times per year).

Product: Jontec Forward.

- 1. Mix a bucket of water with Jontec Forward. The proportion should be 50ml Jontec Forward for every 1L of water.
- 2. Apply the solution on the floor using a mop or a scrubber drier.
- **3. IMPORTANT:** Allow the solution to act for a short period without allowing it to dry. An incorrect mixture concentration could cause damage to the surface after drying.
- **4.** Scrub the solution on the floor using a broom with medium strength bristles or a scrubber drier (see recommended material below), and remove the dirty water using a mop or liquid vacuum cleaner.
- **5.** Rinse with clean water as many times as necessary to ensure the elimination of all dirt.
- 6. Leave to dry completely.



SELECTIVE CLEANING.

Stubborn dirt, specific stains...

Product:Sprint Performer or Sprint Spitfire

Apply the product to a cloth, and scrub the surface until all stains have been eliminated. Wipe clean.

In case of tough stains:

- 1. Spray the product directly on to the surface.
- 2. Allow to act for approx 5 mins.
- 3. Scrub and wipe clean.



RECOMMENDED MATERIALS.

Disc:	Scrubber driers:	Brushes and Pads:
Taski ergodisc 175 & 200	Taski swingo 350B	White contact pads & Shampooing Brush.
	Taski Swingo 450B & 450 E	
	Taski Swingo 755B & 755 E	

PAVIGYM

t. +34 965 675 070 / f. +34 965 666 793 Pda. Canastell I-98 E-03690 - San Vicente del Raspeig (Alicante) SPAIN